

TWISTER ULTRACLEAN

Spend Less Time Cleaning
& More Time Trimming

UltraClean Features

- 125G / 470L tank capacity
- 4KW Ultrasonic Power @ 28KHz
- Powered lift, 100kg capacity
- 7" Siemens touch screen panel
- Full circulation and filtration system, with oil skimmer
- 304 Stainless Steel interior and exterior shell
- 2x 304 Stainless Steel cleaning baskets
- Locking casters for easy mobility
- 50 micron filter
- Automated filter change warning




Available Voltage Options:

- 240V 1P 50A 60Hz for North America
- 208V 3P 60A 60Hz for North America
- 380V 3P 50Hz for Europe

WATCH IT IN ACTION

TWISTERTRIMMER.COM/TWISTER-ULTRACLEAN



Triple Direction Ultrasonic

Along with full circulation and an onboard filtration system, Twister's Triple Direction UltraClean technology will ensure that your parts will be cleaned from every angle.



Clean With Just A Simple Touch

Crafted with 304 Stainless Steel inside and out and outfitted with a 7" Siemens touch screen panel, cleaning has never been this easy.



With Room To Spare

With a maximum 125 G (470 L) tank capacity you can fit up to five T2 Tumblers or drop in 1 full T4 Trimmer! It doesn't stop there, drop in hoses or the Trim Saver Cyclone. So easy, you will want to clean everything!



Decrease Labour Cost

Spend less time cleaning and more time trimming. Adding a Twister UltraClean to your T2 and T4 Systems and keep harvest moving.

ULTRACLEAN



SPECIFICATIONS

Product Number	50-40013A
Power Options (02-10019A)*	208V 3P 60Hz 60A
Power Options (02-10030A)*	240V 1P 60Hz 50A
Power Options (02-10031A)•	380V 3P 50Hz 64A
Heating Time 15°C - 75°C (02-10019A)*	100min
Heating Time 15°C - 75°C (02-10030A)*	160min
Heating Time 15°C - 75°C (02-10031A)•	100min
Overall Dimension (Width)	1,660mm
Overall Dimension (Depth)	1,080mm
Overall Dimension (Height)	1,860mm
Tank Inner Size (Width)	1,000mm
Tank Inner Size (Depth)	580mm
Tank Inner Size (Height)	760mm
Storage Tank Size (Width)	350mm
Storage Tank Size (Depth)	580mm
Storage Tank Size (Height)	600mm
Tank Capacity	125G / 470L
Effective Liquid Level	500mm
Heating Power (1P)	7.5W
Heating Power (3P)	12KW

• Europe * North America


APPROVED CLEANERS

UltraClean Solution (25-10002)

Enviro Solutions ES75

CONNECTOR (PLUG)


NEMA 15-60P



NEMA 6-50P



EUROPEAN



Visit twistertrimmer.com or call your Twister Rep for an extensive list of replacement parts or accessories.



TWISTER

ULTRACLEAN

CONSUMABLES	Filter, 50 Micron, UltraClean	14-10178
	Twister UltraClean Solution (18.9L / 5GAL)	25-10002
	Twister UltraClean Solution (208L /55GAL)	25-10005

ACCESSORIES	Part Rack Assy, 4 Sets, Tumbler-Brush-Shrouds, T2, UltraClean	24-10253A
	(1) 1/4" Drain hose for the main and storage tanks (Sold by the foot)	12-10209
	Hose clamp for above hose (Sold by the foot)	14-10211
	1/4" Drain hose for the oil skimmer (Sold by the foot)	14-10210
	Hose clamp for above hose	14-10212
	Pump, Hand, 55GAL Drum, Stainless Steel, UltraClean	14-10216

Visit twistertrimmer.com or call your Twister Rep for an extensive list of replacement parts or accessories.

