

# TWISTER T2 LEAF COLLECTOR



## DETAILS MATTER.

The Twister T2 Leaf Collector is the standard vacuum and comes ready to work with its 2HP, Fan-Cooled motor.

The Twister T2 comes equipt with a 40 micron white collection bag to capture your trim and has additional 40 micron bags available as add-ons. See full accessory list below.

### AVAILABLE T2 LEAF COLLECTOR ACCESSORIES

40 Micron Bag	23-0197-00
Vacuum Hose 6", 6' Long	23-0199-00
Vacuum Hose Cuff 6"	23-0132-00
Vacuum Bypass T2	23-0255


Visit [twistertrimmer.com](http://twistertrimmer.com) or call your Twister Rep for an extensive list of replacement parts or accessories.

### T2 LEAF COLLECTOR SPECIFICATIONS

Product Number	23-0117-00-P
Input Voltage	240V, 60Hz
Motor	2HP, 1,500W Fan-Cooled
Amps (running)	12A
Amps (startup)	45A
Motor Speed	3450RPM
Airflow Capacity	1400 CFM
Static Pressure	10" W.G.
Operating Conditions	950ACFM @ 6"W.G.
Impeller	12.75in / 305mm
Inlet	6in / 127mm
Height	36in / 915mm
Weight	123lbs / 56kg
Circuit Breaker Required	15A / 240V
Connector (plug)	NEMA 6-15P
Sound Rating	80 Db
Included Filter Bags	40 Micron
Certification	CSA

### Additional Requirements

Extension Cord	12 AWG (minimum AWG size) 7.6m / 25ft max length
----------------	---



# TWISTER T4 LEAF COLLECTOR

## DETAILS MATTER.

The Twister T4 Leaf Collector is the standard vacuum for the Twister T4 and comes ready to work with a 1HP, 750W Fan-Cooled motor.

The Twister T4 comes equipped with a 300 micron white collection bag to capture your trim and has 70 & 40 micron bags available as add-ons. See full accessory list below.

### AVAILABLE T4 LEAF COLLECTOR ACCESSORIES

40 Micron Bag	23-0101-00
70 Micron Bag	23-0162-00
300 Micron Bag	23-0100-00
T4 Kit, bypass shroud assembly with cuff and hose clamps	24-0320-00-P
Adjustable Flow T4 Shroud Assembly	24-0162
5" Hose Clamp	23-01-001127
Neoprene Cuff	17-0013-00

Visit [twistertrimmer.com](http://twistertrimmer.com) or call your Twister Rep for an extensive list of replacement parts or accessories.



### T4 LEAF COLLECTOR SPECIFICATIONS

Product Number	23-0170-03-P
Input Voltage	115V, 60Hz
Motor	1HP, 750W Fan-Cooled
Amps (running)	9A
Amps (startup)	49A
Motor Speed	3450RPM
Airflow Capacity	1190 CFM
Static Pressure	6.5" W.G.
Operating Conditions	650ACFM @ 5" W.G.
Impeller	10in / 254mm
Inlet	5in / 127mm
Height	19in / 483mm
Weight	58lbs / 26.3kg
Circuit Breaker Required	15A / 120V
Connector (plug)	NEMA 5-15P
Sound Rating	77 Db
Included Filter Bags	300 Micron
Certification	CSA

### Additional Requirements

Extension Cord	12 AWG (minimum AWG size) 7.6m / 25ft max length
----------------	---

Connector (plug)  
NEMA 5-15P



# TWISTER T6 LEAF COLLECTOR

## DETAILS MATTER.

The Twister T6 Leaf Collector is portable, compact and ready to work with its 1HP motor, 750W Fan-Cooled motor. Easy to setup and use this machine truly is plug and play.

The Twister T6 comes equipt with a 300 & 40 micron white collection bag to capture your trim and has a 70 micron bag available as an add-on. See full accessory list below.



### T6 LEAF COLLECTOR SPECIFICATIONS

Product Number	23-0300-00-P
Input Voltage	115V, 60Hz
Motor	1HP, 750W Fan-Cooled
Amps (running)	8.5A
Amps (startup)	53A
Motor Speed	3450RPM
Airflow Capacity	800 CFM
Static Pressure	6.5" W.G.
Operating Conditions	400ACFM @ 5" W.G.
Impeller	10in / 254mm
Inlet	4in / 102mm
Height	16in / 483mm
Weight	44lbs / 26.3kg
Circuit Breaker Required	15A / 120V
Connector (plug)	NEMA 5-15P
Sound Rating	77 Db
Included Filter Bags	300 Micron, 40 Micron
Certifications	CSA

### AVAILABLE T6 LEAF COLLECTOR ACCESSORIES

40 Micron Bag	23-02-002101
70 Micron Bag	23-02-002105
300 Micron Bag	23-02-002100
Vacuum Hose 4", 8' Long	23-01-101800
Vacuum Hose Cuff 4"	23-01-002101
Vacuum Hose Clamp 4"	23-01-001101
Vacuum Bypass T6	23-0257-00
Extreme Tumbler	02-10002A

Visit [twistertrimmer.com](http://twistertrimmer.com) or call your Twister Rep for an extensive list of replacement parts or accessories.

### Additional Requirements

Extension Cord	12 AWG (minimum AWG size) 7.6m / 25ft max length
----------------	---

Connector (plug)  
NEMA 5-15P

